

# Work-related Amputations in Michigan, 2011

September 2013

*Michigan Department  
of Community Health*



**Rick Snyder, Governor  
James K. Haveman, Director**

**MICHIGAN STATE  
UNIVERSITY**

# **Work-related Amputations in Michigan, 2011**

A Joint Report

of the

Michigan Department of Community Health  
Bureau of Disease Control, Prevention, and Epidemiology  
Division of Environmental Health  
201 Townsend Street  
PO Box 30195  
Lansing, Michigan 48909

and the

Michigan State University  
College of Human Medicine  
Division of Occupational and Environmental Medicine  
117 West Fee Hall  
East Lansing, Michigan 48824

**September 2013**

**State of Michigan**

Governor – Rick Snyder, JD, MBA

**Michigan Department of Community Health**

Director – James K. Haveman, Jr.

**Public Health Administration**

Senior Deputy Director – Melanie Brim, MHA

**Bureau of Disease Control, Prevention, and Epidemiology**

Director – Corinne Miller, DDS, PhD

**Authors**

Thomas W. Largo, MPH – Bureau of Disease Control, Prevention, and Epidemiology, MDCH

Kenneth Rosenman, MD – Michigan State University

**Contributors**

Mary Jo Reilly, MS – Michigan State University

Martha Stanbury, MSPH – Bureau of Disease Control, Prevention, and Epidemiology, MDCH

**Acknowledgments**

Tracy Carey – Michigan State University

Ruth Vander Waals – Michigan State University

Student Interviewers – Michigan State University

This report would not have been possible without the participation of staff at Michigan hospitals who provided medical records.

Permission is granted for the reproduction of this publication, in limited quantity, provided the reproductions contain appropriate reference to the source.

This publication was supported by grant number U60 OH008466 from the U.S. Centers for Disease Control and Prevention – National Institute for Occupational Safety and Health (CDC-NIOSH). Its contents are solely the responsibility of the authors and do not necessarily represent the official views of CDC-NIOSH.

The Michigan Department of Community Health is an Equal Opportunity Employer, Services and Programs Provider.

## **EXECUTIVE SUMMARY**

The Division of Occupational and Environmental Medicine at Michigan State University in collaboration with the Michigan Department of Community Health maintains a multi-source system for collecting data on work-related amputations in Michigan. This report characterizes these injuries for 2011. The salient findings are as follows:

- The system identified a total of 540 Michigan resident work-related amputations. This corresponds to a rate of 12.9 per 100,000 workers. In comparison, the official U.S. Department of Labor estimate (220)<sup>1</sup> was 59% lower.
- The number of work-related amputations in Michigan has decreased 27% since 2006, while the rate has decreased 18%. In 2006, there were 740 cases with a corresponding rate of 15.7 per 100,000.
- Hospital/emergency department medical records identified 471 cases. Workers' compensation lost work time claims data identified 178 cases, 111 of which were linked to medical records. There were 69 cases that would have been missed had workers' compensation claims data not been used to supplement medical records.
- The amputation rate for males was nearly seven times that for females. Among males, rates were highest for those aged 20-24.
- Forty-two percent of the incidents occurred among those working in the manufacturing industry. The specific manufacturing group with the highest rate was Paper Manufacturing.
- Power saws were the leading cause of amputations, accounting for 15% of cases for which injury cause was specified.
- Ninety-six percent of amputations involved fingers. One in seven finger amputation injuries involved multiple fingers.
- There was bone loss – either from the initial injury or from subsequent surgery – in 51% of incidents.
- Upper extremity amputations occurred slightly more often on the left side (55%).
- Workers' compensation was the expected source of payment of hospitalization or emergency department care for 71% of the cases for which payment source was identified. Payer source could not be determined for 21% of medical records

reviewed. Among all amputations identified from hospital or emergency department records, worker compensation was the payer for 56%.

- The Michigan Occupational Safety and Health Administration (MIOSHA) inspected 18 worksites identified through medical records and assessed an average of two violations and \$3,800 in penalties per worksite inspected.

All of Michigan's hospitals are required to report work-related amputation cases and were the primary source of data for most (87%) of the identified cases for 2011. Data provided by the Michigan Workers' Compensation Agency identified an additional 13% of cases that were not identified by hospital-based surveillance alone. The workers' compensation data were limited to individuals who requested wage replacement and did not include individuals who had claims for medical care cost reimbursement alone. Therefore, the surveillance system missed those cases in which injured workers were treated in non-hospital/emergency department settings or at out-of-state hospitals and did not file a worker compensation claim for wage replacement.

The Michigan work-related amputation surveillance system produces valuable information. It identifies hazardous worksites that otherwise might go undetected and facilitates remediation at these worksites. It provides information that can be used to characterize workers and industries with high amputation rates. Finally, by combining data from two separate systems, medical records and workers' compensation claims, it provides the best estimate of the true number of amputations that occur in Michigan. The 540 amputations identified are appreciably larger than the official employer-based estimate of 220.

This report will be updated annually and made available on the websites of the Michigan Department of Community Health, Division of Environmental Health, and the Michigan State University Division of Occupational and Environmental Medicine.

## TABLE OF CONTENTS

<b><u>Introduction</u></b> .....	1
<b><u>Data Sources and Methods</u></b> .....	2
Data Sources .....	2
Methods .....	3
<b><u>Results</u></b> .....	6
<b><u>Characteristics of Injured Workers</u></b> .....	8
<i>Age and Gender</i> .....	8
<i>Race and Hispanic Ethnicity</i> .....	8
<i>Body Part and Severity</i> .....	9
<i>County of Residence</i> .....	12
<i>Industry</i> .....	14
<b><u>Causes of Amputations</u></b> .....	16
<b><u>Source of Payment</u></b> .....	17
<b><u>Temporal Characteristics</u></b> .....	18
<i>Incidents by Month</i> .....	18
<i>Incidents by Day of Week</i> .....	18
<i>Incidents by Year</i> .....	19
<b><u>Referrals to MIOSHA</u></b> .....	20
<b><u>Discussion</u></b> .....	22
<b><u>Evaluation of Surveillance System Attributes</u></b> .....	22
<i>Sensitivity</i> .....	22
<i>Predictive Value Positive</i> .....	25
<i>Representativeness</i> .....	26
<i>Timeliness</i> .....	26
<i>Flexibility</i> .....	26
<i>Simplicity</i> .....	27
<i>Acceptability</i> .....	27
<b><u>Limitations</u></b> .....	28
<b><u>Conclusions</u></b> .....	29
<b><u>References</u></b> .....	30
<b><u>Appendix A. Additional Data Tables</u></b> .....	31

## **INTRODUCTION**

An amputation is one of the most debilitating injuries that can occur in the workplace. Unlike many other types of injuries, amputations often cannot be fully mended through medical or surgical treatment. Thus, workers sustaining amputations may be forced to make significant physical and psychological adjustments both in the workplace and their personal lives.

The Bureau of Labor Statistics estimates that 5,260 amputations resulting in days away from work occurred nationally in 2011. The median number of lost workdays was 25 for amputation cases compared to eight days for all work-related injuries.<sup>1</sup> Reducing the incidence of work-related amputations is a public health priority. The Council of State and Territorial Epidemiologists (CSTE) in collaboration with the National Institute for Occupational Safety and Health has developed a set of twenty occupational health indicators,<sup>2</sup> two of which are measures of work-related amputations.

The Michigan Occupational Safety and Health Administration (MIOSHA) was established in 1974. MIOSHA is part of the Michigan Department of Licensing and Regulatory Affairs (MDLARA). Its mission is to help assure the safety and health of Michigan workers through education and training, consultation, and enforcement. MIOSHA developed a strategic plan for 2004-2008 that included an objective to reduce amputations by 20%<sup>3</sup>. One general strategy listed is to develop cooperative efforts with the occupational safety and health community to identify and address workplace hazards.

In May 2004, staff in the Occupational and Environment Medicine (OEM) Division within Michigan State University's College of Human Medicine began reviewing hospital records for patients treated for amputations and referring cases meeting designated criteria to MIOSHA. MIOSHA referrals were tracked through 2005. Beginning with 2006 data, a surveillance system to track all work-related amputations treated at Michigan hospitals/emergency departments was established.<sup>4</sup> In addition, data were obtained from the Michigan Workers' Compensation Agency to supplement the hospital-based data and provide

a more complete count of work-related amputations. This report summarizes work-related amputations identified by this surveillance system for 2011.

## **DATA SOURCES and METHODS**

### **Data Sources**

Medical records were used to identify work-related amputation cases treated at hospitals/emergency departments. Under the Michigan Public Health Code, Michigan hospitals are required to report these conditions.<sup>5</sup> MSU acts as MDCH's bona fide agent to administer this law and medical records are sent directly to MSU's OEM Division.

The MDLARA Workers' Compensation Agency provided access to a database of claims for wage replacement due to lost work time. To be eligible for wage replacement, an individual must have been out of work more than seven consecutive days (i.e. five weekdays and two weekend days) or have sustained "specific losses." These specific losses include amputations in which at least a full phalanx is lost.

MIOSHA inspection reports were the source of information on the number of violations cited and the total penalties assessed for worksites referred to MIOSHA by the surveillance system for inspection.

The Current Population Survey (CPS), conducted by the U.S. Census Bureau for the Bureau of Labor Statistics, was the source of the estimated number of employed Michigan residents by defined age groups, gender, and industry groups for 2011. The BLS Local Area Unemployment Statistics (LAUS) system, which utilizes CPS data in combination with data from the BLS Current Employment Statistics program and state unemployment insurance systems, was the source of the number of Michigan residents employed by county of residence. The CPS and LAUS employment data were used to calculate worker-based amputation rates.



## Methods

A case identified using hospital medical records was defined as an individual aged 16 years or older receiving medical treatment at a Michigan hospital/emergency department for whom: a) an amputation diagnosis was assigned (ICD-9-CM<sup>6</sup> codes 885.0-.1, 886.0-.1, 887.0-.7, 895.0-.1, 896.0-.3, and 897.0-.7); and b) the incident was documented as having occurred at work in 2011. The level of hospital care included outpatient surgery, emergency department visit, and hospital admission. A case identified using the workers' compensation system was defined as an individual aged 16 years or older who was in their lost work time wage replacement database with an accepted work-related amputation occurring in 2011. Cases that listed body parts that were inconsistent with upper or lower extremity amputation (e.g., "eye", "back") were excluded.

Worksites of hospital/emergency department-treated cases\* that met the following criteria were referred to MIOSHA: a) the worksite was located in Michigan; and either b) the company was within an industry identified by MIOSHA as having a high injury rate or c) the amputation potentially was caused by a mechanical power press.<sup>Δ</sup> The MIOSHA high injury rate industries were those within North American Industry Classification System (NAICS)<sup>7</sup> three-digit codes 312, 321, 326, 327, 331, 332, 333, 336 and specific industry six-digit codes 423930 and 561730.<sup>†</sup>

---

\* Cases identified solely through workers' compensation records were not referred to MIOSHA. Data provided by the Michigan Workers' Compensation Agency can be used only for research and not for enforcement purposes.

<sup>Δ</sup> Employers are required to report injuries caused by mechanical power presses directly to MIOSHA within 30 days of the incident. MIOSHA uses referrals for amputations caused by power presses to identify companies that fail to comply with this reporting regulation. Worker's names are used in this process. Often medical records fail to specify the type of press (e.g., mechanical, hydraulic). Thus, cases where the medical record notes only that the injury was caused by a "press" were considered potential mechanical power press cases and were referred.

<sup>†</sup>

<u>NAICS Code</u>	<u>Industry</u>
312	Beverage and Tobacco Product Manufacturing
321	Wood Product Manufacturing
326	Plastics and Rubber Products Manufacturing
327	Nonmetallic Mineral Product Manufacturing
331	Primary Metal Manufacturing
332	Fabricated Metal Product Manufacturing
333	Machinery Manufacturing
336	Transportation Equipment Manufacturing
423930	Recyclable Material Merchant Wholesalers
561730	Landscaping Services

An MSU referral to MIOSHA consisted of records that documented the injury, its cause, and the employer (workers' names were suppressed). MIOSHA staff reviewed referred cases to determine if they would conduct a worksite inspection. Referrals of 2011 cases were made to MIOSHA between April 2011 and March 2012.

Some medical records lacked information as to whether an amputation occurred at work. In addition, for some work-related cases, the employer was not identified, information necessary to determine if an amputation met the criteria for a MIOSHA referral. In either of these instances, MSU staff attempted to interview the patient by phone to ascertain the missing information.

For all work-related amputation incidents identified from hospital/emergency department medical records, data collected included: hospital name, date of admission, patient demographics, city and county of residence, primary source of payment, company name, address, NAICS code, injury date, body part amputated, description of injury (e.g., complete amputation, crush), involvement of bone, type of surgery received (e.g., reimplantation, amputation revision) and cause of injury. For cases referred to MIOSHA, additional information was obtained, including: whether an inspection was performed, inspection date, number of violations, power press violations, and total fines assessed.

Once case ascertainment from medical record review and patient interviews was completed, records in the work-related amputation database were linked to records in the workers' compensation claims database using SAS software, version 9.2 of the SAS System for Windows (copyright 2002-2008 by SAS Institute Inc.). There were several steps in the record-linkage process. First, matches were identified using various combinations of social security number (either all nine digits or the last four digits which often were all that medical records provided), date of injury (or date of hospital admission), worker's name, date of birth, and zip code of residence. For cases that matched, the linked record was visually verified. The matching process was performed on

the entire 2011 workers' compensation claims database to allow for links to cases not categorized as amputations by that system.

Upon completion of record linkage, cases were assigned to one of the following categories: 1) workers' compensation case where injury was an amputation matched with a work-related amputation per medical record; 2) workers' compensation case where injury was an amputation matched with a case in which work-relatedness could not be determined from the medical record; 3) workers' compensation case where injury was an amputation not matched with an amputation per medical records; 4) workers' compensation case where injury was not an amputation matched with a work-related amputation per medical record; 5) workers' compensation case where injury was not an amputation matched with a case in which work-relatedness could not be determined from the medical record; 6) workers' compensation case where injury was not an amputation not matched with an amputation per medical records; 7) work-related amputation per medical record with no match to workers' compensation; 8) unknown if work-related amputation per medical record with no match to workers' compensation.

Work-related amputation rates were calculated by gender, age group, county of residence and type of industry by dividing the number of Michigan resident workers sustaining an amputation by the number employed and multiplying the result by 100,000. Rates were not calculated for groups with fewer than six cases because these were considered statistically unreliable. Asterisks identify these cases in the tables.

**SYMBOLS USED IN TABLES**

No cases occurred within category	—
Rate is considered statistically unreliable	*

Database management was conducted using Microsoft Access. Data analysis was performed using SAS software.

## RESULTS

One hundred eleven (111) of Michigan's 134 hospitals (128 acute care, two surgical, four VA) submitted medical records to MSU. The remaining 23 hospitals submitted no records but reported that they had no work-related amputation cases in 2011. The total number of records received and reviewed was 1,423. Project staff attempted to interview 14 patients to ascertain work-relatedness and/or employer information and completed 13 of these interviews (a 93% success rate).

In 2011, 483 individuals were treated at a Michigan hospital/emergency department (ED) following a work-related amputation\*. These include 481 originally identified through medical records and another two that were treated at a Michigan hospital, but could not be identified as work-related until linked to workers' compensation records.

These workers made a total of 548 hospital visits for care (60 of the 483 workers made multiple hospital visits). Nearly all workers (97.9%) were Michigan residents (N=473) (Table 1). The work-related amputation rate for these hospital-treated amputations among Michigan residents was 11.3 per 100,000 workers.

TABLE 1  
Workers treated for an amputation at a  
Michigan hospital/ED, 2011

Characteristics of Workers and Healthcare Utilization	Number of Workers	%
Received treatment at a Michigan hospital/ED	483	100.0
<i>Michigan resident</i>	473	97.9
<i>One hospital visit</i>	414	85.7
<i>Multiple hospital visits (followup care or transfer to another hospital)</i>	59	12.2
<i>Out-of-state resident</i>	10	2.1
<i>One hospital visit</i>	9	1.9
<i>Multiple hospital visits (followup care or transfer to another hospital)</i>	1	0.2

Data Source: Michigan hospital/ED medical records

\* Some of the cases identified solely through workers' compensation records may also have been treated at a Michigan hospital/ED, but this could not be determined via analysis of that dataset.

Table 2 illustrates the number of cases ascertained by the two data sources and the results of the matching process. The workers' compensation database contained 178 lost work time claims from Michigan residents with amputations. One hundred seventy two (172) were paid for lost work time. There was no indication that the remaining six individuals were paid for lost work time. For each of these, the amputation was not contested as being work-related. Some of the 172 individuals paid for lost work time may not have been out of work more than seven consecutive days. As described previously (page 2), workers are eligible for wage replacement if they sustain "specific losses," such as the loss of a phalanx.

**TABLE 2**  
**Results of matching Michigan resident work-related amputation cases**  
**ascertained from hospital/ED medical records and workers'**  
**compensation lost work time claims, 2011**

Was Michigan Resident in Workers' Compensation Database?	Was Michigan Resident Amputation Work-related per Hospital/ED Medical Record?		No Match to Medical Record	Total
	Yes	Unknown		
Yes, with amputation injury	110	1	67	178
Yes, with a non- amputation condition	96	1	23,263	23,360
No	265	47	NA	312
Total	471	49	23,330	23,850

Shaded cells illustrate work-related amputation cases.

One hundred eleven (111) of the 178 workers' compensation claims (70%) matched an amputation case identified from medical record review. For 67 cases, hospitals/EDs did not submit a medical record of an amputation (first row of Table 2). Ninety six (96) of the 471 hospital-record-based amputation cases (20%) matched workers' compensation claims records for which the type of injury listed in the claims data was something other than an amputation (e.g., crush, fracture, laceration) (first column of Table 2). Finally, of 49 cases for which work-relatedness could not be determined via medical records, two matched worker's compensation files (one with an amputation injury, one with a non-amputation injury) (third column of Table 2).

Adding the 67 cases that were identified based on workers' compensation records alone to the 473 hospital-based cases yields a total of 540 Michigan resident workers. This corresponds to a rate of 12.9 amputations per 100,000 workers. The following analyses examine these 540 cases.

### Characteristics of Injured Workers


#### *Age and Gender*

Males comprised 88% of workers who sustained an amputation. Among males, rates were highest for workers aged 20-24. Figure 1 displays amputation rates by age group and gender.

#### *Race and Hispanic Ethnicity*

Information on patient race and Hispanic ethnicity was missing in 44% and 93% of medical records, respectively, and is not collected in workers' compensation claims (see Table A-2 in Appendix A). Due to these levels of missing information, rates for racial/ethnic groups were not calculated. Of the workers for whom race was specified (N=262), whites comprised 85% and African Americans 12%, similar to the racial composition of Michigan workers overall (84% and 11%, respectively).

FIGURE 1  
Work-related amputation rates  
by age group and gender  
Michigan residents, 2011



Rates are the number of workers sustaining an amputation per 100,000 workers.  
 A statistically valid rate could not be calculated for females aged 65+ due to insufficient numbers of cases.  
 Data Sources: Number of amputations – Michigan hospital/ED medical records and Michigan Department of Licensing and Regulatory Affairs Workers’ Compensation Agency; Number of workers employed by age group used to calculate rates - Bureau of Labor Statistics’ Current Population Survey

*Body Part and Severity*

An injury was considered to involve bone loss if: a) there was a complete or near complete amputation through and through bone or a joint; or b) a revision amputation was performed (trimming away of bone to optimize healing). Overall, there were 161 complete or near-complete amputations (34.2%) and 80 revision amputations (17.0%).

As shown in Table 3 nearly all amputations were to fingers (95.9%). Data from hospital/ED medical records, which provide more detail on finger injuries than workers’ compensation claims data, were available for 457 finger amputation cases. The following analyses are limited to these cases. Of 457 finger amputation incidents, 69 (15.1%) involved multiple fingers. The distal phalanx of the index finger (section J in Figure 2)

was the most frequently amputated area. The distal phalanges comprised 89% of all finger sections lost (excluding cases in which this information was unknown). Table A-3 and Table A-4 in Appendix A provide these data for the left and right hand separately for single-finger and multiple-finger amputation incidents, respectively.

TABLE 3  
Work-related amputations  
by injured body part  
Michigan residents, 2011

Part of Body Amputated	Number of Workers	%
Upper Extremity	526	97.4
<i>Finger</i>	518	95.9
<i>Hand</i>	4	0.7
<i>Arm</i>	3	0.6
<i>Unknown</i>	1	0.2
Lower Extremity	14	2.6
<i>Toe</i>	10	1.9
<i>Foot</i>	2	0.4
<i>Leg</i>	1	0.2
<i>Unknown</i>	1	0.2
<b>Total</b>	<b>540</b>	<b>100.0</b>

Data Sources: Michigan hospital/ED medical records and Michigan Department of Licensing and Regulatory Affairs Workers' Compensation Agency

Overall, workers sustained more injuries to their left side than their right side (56% v. 44%) (Table 4).

### Case Study One

While using a belt grinder, a worker sustained an oblique amputation from the fingernail to the proximal phalanx of the index finger. The case was referred to MIOSHA. They found 17 violations and assessed the company \$18,400 in penalties.



**FIGURE 2**  
**Work-related finger amputations**  
**by digit and section of finger lost**  
**Michigan residents, 2011**




Figure is for both left and right hands.

Finger	Section	Number	%
Little	A	51	9.5
	B	8	1.5
	C	1	0.2
Ring	D	76	14.2
	E	8	1.5
	F	0	0.0
Middle	G	122	22.7
	H	10	1.9
	I	2	0.4
Index	J	151	28.1
	K	19	3.5
	L	7	1.3
Thumb	M	78	14.5
	N	4	0.7
<b>Total*</b>		<b>537</b>	<b>100.0</b>

\* In 2 cases, the section(s) of finger lost was unknown.  
Includes sections lost in single and multiple-finger loss incidents.  
Workers' compensation claims data do not contain data on section of finger lost and thus are excluded from the table.  
Data Source: Michigan hospital/ED medical records

**TABLE 4**  
**Work-related amputations**  
**by side and extremity injured**  
**Michigan residents, 2011**

Injured Side	Number of Workers		
	Upper Extremity	Lower Extremity	Total
Right	205	3	208
Left	254	6	260
Both	2	0	2
Unknown	1	0	1
<b>Total</b>	<b>462</b>	<b>9</b>	<b>471</b>

Workers' compensation claims data do not contain information on injured side and thus are excluded from the table.  
Data Source: Michigan hospital/ED medical records

### *County of Residence*

Table 5 illustrates the number of workers sustaining an amputation and the corresponding rate by a worker's county of residence. Note that the table does not necessarily reflect the counties with the highest risk worksites because people may work in a county other than the one in which they live. Sixteen counties had no cases and another 43 had between one and five, too few to calculate statistically valid rates. Cheboygan County had the highest rate although there were only six cases. Among the most populous counties in the state, Kent County had the highest rate (21.3 per 100,000 workers) while Genesee County had the lowest (4.8 per 100,000).

#### **Case Study Two**

A worker caught his ring finger in a press. The distal phalanx was barely attached and could not be saved, so surgeons trimmed the bone down to the distal interphalangeal joint. The case was referred to MIOSHA. Thirteen violations were identified, included three specific to power presses. The company was fined \$12,320.

TABLE 5  
Number and rate of work-related amputations  
by county of residence, Michigan residents, 2011

County	Number	Rate	County	Number	Rate
Alcona	-	-	Lapeer	9	25.9
Alger	1	*	Leelanau	-	-
Allegan	9	18.6	Lenawee	2	*
Alpena	4	*	Livingston	11	13.8
Antrim	1	*	Luce	-	-
Arenac	-	-	Mackinac	1	*
Baraga	-	-	Macomb	58	16.4
Barry	7	26.6	Manistee	-	-
Bay	9	19.1	Marquette	3	*
Benzie	2	*	Mason	3	*
Berrien	6	9.1	Mecosta	4	*
Branch	5	*	Menominee	-	-
Calhoun	6	10.2	Midland	2	*
Cass	2	*	Missaukee	1	*
Charlevoix	1	*	Monroe	4	*
Cheboygan	6	62.0	Montcalm	7	31.4
Chippewa	1	*	Montmorency	2	*
Clare	1	*	Muskegon	13	17.5
Clinton	2	*	Newaygo	4	*
Crawford	1	*	Oakland	31	5.9
Delta	-	-	Oceana	2	*
Dickinson	3	*	Ogemaw	1	*
Eaton	-	-	Ontonagon	-	-
Emmet	1	*	Osceola	3	*
Genesee	8	4.8	Oscoda	-	-
Gladwin	2	*	Otsego	3	*
Gogebic	-	-	Ottawa	14	11.8
Grand Traverse	5	*	Presque Isle	1	*
Gratiot	4	*	Roscommon	1	*
Hillsdale	6	35.1	Saginaw	8	9.7
Houghton	4	*	St. Clair	14	21.5
Huron	7	49.8	St. Joseph	5	*
Ingham	21	16.0	Sanilac	3	*
Ionia	3	*	Schoolcraft	-	-
Iosco	-	-	Shiawassee	3	*
Iron	1	*	Tuscola	1	*
Isabella	-	-	Van Buren	5	*
Jackson	9	14.0	Washtenaw	10	5.9
Kalamazoo	6	5.2	Wayne, including Detroit	84	11.7
Kalkaska	1	*	<i>Detroit</i>	<i>30</i>	<i>10.8</i>
Kent	60	21.3	Wexford	2	*
Keweenaw	-	-	Unknown	19	
Lake	1	*	Michigan	540	12.9

\* Statistically reliable rate could not be calculated. See *Methods*.

Rates are the number of workers sustaining an amputation per 100,000 workers.

Data Sources: Number of amputations – Michigan hospital/ED medical records and Michigan Department of Licensing and Regulatory Affairs Workers' Compensation Agency; Number of workers used to calculate rates – Bureau of Labor Statistics' Local Area Unemployment Statistics

## *Industry*

Table 6 illustrates the number and corresponding rate of work-related amputations by industry. For 13% of cases, there was insufficient information in either the medical records provided or workers' compensation claims data to make an industry classification. Twenty-eight workers were described in medical records as self-employed. Industry could be ascertained for twelve of these self-employed workers; the remaining 16 were included in Unknown Industry. Among two-digit NAICS industry sectors, Wholesale Trade had the highest rate (32.6 per 100,000 workers). However, there were seven times as many incidents within Manufacturing. Manufacturing comprised 42% of the 467 incidents in which industry could be determined. In addition, certain three-digit NAICS subsectors within Manufacturing had very high rates, notably Paper Manufacturing (174 per 100,000), Wood Product Manufacturing (140 per 100,000) and Fabricated Metal Product Manufacturing (136 per 100,000).

### **Case Study Three**

A worker was using a table saw when the object he was cutting pulled his hand into the blade. His index finger was so damaged that the treating physician had to perform a revision amputation down to the proximal interphalangeal joint. The incident occurred about three months after MIOSHA closed a separate inspection involving this company. Subsequent to receiving the referral from MSU, MIOSHA assessed the company a \$4,000 penalty for the lack of an appropriate guard.

TABLE 6  
Number and rate of work-related amputations  
by worker industry, Michigan residents, 2011

Industry Classification (NAICS industry sector code)	Number	Rate
Agriculture, Forestry, Fishing, Hunting (11)	15	22.0
Mining (21)	4	*
Utilities (22)	3	*
Construction (23)	53	23.8
Manufacturing (31 – 33)	196	28.1
<i>Food Manufacturing (311)</i>	16	39.7
<i>Wood Product Manufacturing (321)</i>	11	140.3
<i>Paper Manufacturing (322)</i>	8	173.8
<i>Plastics &amp; Rubber Products Manufacturing (326)</i>	17	58.6
<i>Primary Metal Manufacturing (331)</i>	12	58.1
<i>Fabricated Metal Product Manufacturing (332)</i>	52	135.5
<i>Machinery Manufacturing (333)</i>	19	37.8
<i>Transportation Equipment Manufacturing (336)</i>	28	9.2
<i>Furniture &amp; Related Product Manufacturing (337)</i>	4	*
Wholesale Trade (42)	28	32.6
Retail Trade (44 – 45)	32	7.7
Transportation & Warehousing (48 – 49)	8	6.2
Information (51)	3	*
Finance & Insurance (52)	3	*
Real Estate and Rental & Leasing (53)	5	*
Professional, Scientific, and Technical Services (54)	8	3.4
Management of Companies and Enterprises (55)	1	*
Administration & Support Services and Waste Management & Remediation Services (56)	15	9.8
Educational Services (61)	6	1.5
Health Care & Social Assistance (62)	5	*
Arts, Entertainment & Recreation (71)	5	*
Accommodation & Food Services (72)	46	14.3
<i>Food Services &amp; Drinking Places (722)</i>	45	15.0
Other Services (81)	23	11.5
Public Administration (92)	8	5.1
Unknown Industry	73	--
Total	540	12.9

\* Statistically reliable rate could not be calculated. See *Methods*.

Rates are the number of workers sustaining an amputation per 100,000 workers.

Data Sources: Number of amputations – Michigan hospital/ED medical records and Michigan Department of Licensing and Regulatory Affairs Workers' Compensation Agency; Number of workers by industry used to calculate rates: Bureau of Labor Statistics' Current Population Survey

## Causes of Amputations

Causes of work-related amputations are illustrated in Table 7. (This information was unavailable in workers' compensation claims data, so the table is limited to the 471 cases for which a medical record was available.) Sharp objects were identified in nearly one-third (29.7%) of the cases. Power saws (e.g., table saws, miter saws) comprised nearly one-half of sharp object injuries. Presses caused one in eleven (9.1%) amputations. Medical records generally did not specify the type of press.

TABLE 7  
Number of work-related amputations, by cause of injury  
Michigan residents, 2011

Cause of Injury	Number	%
Sharp object	140	29.7
<i>Power saw</i>	63	13.4
<i>Knife</i>	44	9.3
<i>Food slicer (including "meat saw")</i>	21	4.5
<i>Lawn mower</i>	1	0.2
<i>Other sharp object</i>	11	2.3
Press	43	9.1
<i>Mechanical/punch/stamping press</i>	3	0.6
<i>Other press</i>	6	1.3
<i>Unspecified type of press</i>	34	7.2
Pinched between objects	25	5.3
<i>In door</i>	11	2.3
Struck by falling object	24	5.1
Struck by object – other	9	1.9
Caught in chain/pulley/gears/belt	29	6.2
Grinder	16	3.4
<i>Meat grinder</i>	3	0.6
Machine – other specified type	34	7.2
Machine – unspecified type	43	9.1
Other specified cause	50	10.6
Unspecified cause	58	12.3
Total	471	100.0

\* Workers' compensation claims data do not contain cause of injury information and thus are excluded from the table.

Data Source: Michigan hospital/ED medical records

An assortment of other machinery, many of which were unspecified in the medical records, caused one in six (16.3%) amputations. Another frequent cause of amputations was workers getting pinched or crushed between objects, such as doors. Finally, medical records provided no information on cause for 12.3% of cases.

Source of Payment

As shown in Table 8, workers’ compensation was the expected payer in 265 (56.3%) of the 471 cases for which there was a medical record. For 98 cases payment source could not be identified. Note that of the 206 cases for which workers’ compensation was not listed as a payment source in medical records, 64 were linked to workers’ compensation claims data. Workers’ compensation was the expected payer for 59.1% of the 443 patients that were not self-employed.

TABLE 8  
Work-related amputations  
by payment source overall and for non-self-employed workers  
Michigan residents, 2011

Expected Source of Payment	Total		Non-self-employed	
	Number	%	Number	%
Workers’ compensation	265	56.3	262	59.1
Commercial insurance	61	13.0	51	11.5
Other	47	10.0	42	9.5
Not specified	98	20.8	88	19.9
Total	471	100.0	443	100.0


Data Source: Michigan hospital/ED medical records

## Temporal Characteristics

### *Incidents by Month*

The fewest number of cases occurred in the winter months (December – February) (Figure 3).

FIGURE 3  
Work-related amputations  
by incident month  
Michigan residents, 2011




Month of incident was unknown for five cases.

Data Sources: Michigan hospital/ED medical records and Michigan Department of Licensing and Regulatory Affairs Workers' Compensation Agency

### *Incidents by Day of Week*

Amputations occurred most frequently on Thursdays and were much less frequent during the weekend (Figure 4).

FIGURE 4  
Work-related amputations  
by day of incident  
Michigan residents, 2011



Day of incident was unknown for five cases.

Data Sources: Michigan hospital/ED medical records and Michigan Department of Licensing and Regulatory Affairs Growth Workers' Compensation Agency




### Incidents by Year

During the six years that the surveillance system has been in place, the annual number of cases has decreased – from 740 in 2006 to 540 in 2011, a 27.0% change (Figure 5) (an analysis of 2010 data was not available as of this writing). This decline in the number of amputations for the most part cannot be explained by the economic recession with fewer individuals employed because rates decreased 17.8% (15.7 to 12.9 per 100,000 workers), a slightly smaller percentage decrease than the decrease in the number of amputations.

Figure 5 also illustrates the annual number of cases and corresponding rates for manufacturing, the industry in which the greatest number of amputations occur. The annual number of amputations in manufacturing also decreased. The rate was highest in 2006, but leveled off in subsequent years.

FIGURE 5  
Annual numbers and rates of work-related amputations  
by year of incident  
Michigan residents, 2006-2011



Rates are the number of workers sustaining an amputation per 100,000 workers.

Data are not available for 2010.

Data Sources: Michigan hospital/ED medical records and Michigan Department of Licensing and Regulatory Affairs Workers' Compensation Agency

## Referrals to MIOSHA

Thirty seven (37) of the 471 work-related amputations for which there was a hospital/ED medical record met the MIOSHA referral criteria.\* MSU referred these 37 worksites to MIOSHA.

MIOSHA inspected twenty-one worksites subsequent to a referral based on a hospital/ED medical record (Table 9). In one case, the company requested an inspection subsequent to an injury via the Consultation Education and Training (CET) Division of MIOSHA (under this program, the company agrees to an inspection and does not have to pay fines or penalties as long as any identified hazards are remediated). Two inspections occurred more than four months after the MSU referral. The remaining eighteen inspections were likely due to MSU referrals. MIOSHA provided no information on whether any of these 18 companies were on its priority list for inspection.

TABLE 9  
Outcome of work-related amputation referrals to MIOSHA  
Michigan residents, 2011

Outcome of Referral	Number of Worksites	%
Worksite inspected subsequent to referral	21	56.8
<i>Inspected within 120 days of referral</i>	18	48.6
<i>Unknown if company on MIOSHA priority list</i>	18	48.6
<i>Inspected more than 120 days of referral</i>	2	5.4
<i>Inspected via MIOSHA's CET program</i>	1	2.7
Worksite not inspected subsequent to referral	16	43.2
<i>Worksite inspected prior to referral</i>	4	10.8
<i>Worksite not inspected</i>	12	32.4
<i>Inspection attempted or initiated, but not completed</i>	1	2.7
Total	37	100.0

Table 9 also illustrates that in 16 cases, MIOSHA did not perform inspections following hospital/ED referrals. In four instances, they had inspected the worksite prior to receiving the referral. Twelve referred worksites were not inspected. In one case, an inspection was

---

\* Cases identified solely through workers' compensation records were not referred to MIOSHA. See *Methods*.

attempted, but the company had moved. For 11 cases, no attempt was made to perform an inspection. For most (8) of these, MIOSHA provided no reason for not inspecting. In one case, the referral was more than six months after the injury and for two cases, MIOSHA responded that they were short-staffed.

The following analyses examine the outcome of the 18 MIOSHA inspections that were likely due to referrals based on hospital/ED medical records, as noted above.

Table 10 summarizes the number of violations identified in these inspections. The number of violations ranged from zero to 21 with a median of two. Table 11 illustrates the distribution of assessed penalties. For two cases, there was no penalty. The maximum penalty was \$18,400 and the median was \$3,800. MIOSHA cited two companies for mechanical power press violations.

TABLE 10  
Violations identified in worksite inspections  
conducted following an MSU referral  
Michigan residents, 2011

Number of Violations	Number of Inspections	%
0	2	11.1
1-5	11	61.1
6-9	2	11.1
10+	3	16.7
Total	18	100.0

Data Source: MIOSHA inspection reports

TABLE 11  
Penalties assessed in worksite inspections  
conducted following an MSU referral  
Michigan residents, 2011

Penalty Assessed	Number of Inspections	%
\$0	2	11.1
\$1-\$999	2	11.1
\$1,000-\$9,999	11	61.1
\$10,000+	3	16.7
Total	18	100.0

Data Source: MIOSHA inspection reports

## Discussion

The Michigan work-related amputation surveillance system is valuable in several ways. First, the system provides information to allow MIOSHA to inspect worksites and find hazards that might otherwise remain undetected. In 2011, there were as many as 18 such cases. This identification and referral system directly provides support to MIOSHA in addressing Objective 1.1 of their 2009-2013 Strategic Plan<sup>8</sup>:

*Reduce by 20% the rate of worker injuries and illnesses in high-hazard industries (defined as those in the following NAICS subsectors: 312, 321, 326, 327, 331, 332, 333, 336, 423930, 561730, 622, 623).*

In addition, the system provides information on the number of amputation incidents by worker demographics and type of industry. The corresponding rates identify high risk worker groups and industries. Lastly, the system can be used to highlight temporal characteristics and the leading causes of amputations.

### Evaluation of Surveillance System Attributes

There are seven measures by which a surveillance system can be evaluated to determine if it is effective and efficient.<sup>9</sup> These attributes are used to characterize the Michigan work-related amputation surveillance system.

#### **Sensitivity** – the proportion of all cases that are detected by the surveillance system

The surveillance system is designed to detect work-related amputations treated in Michigan hospitals or for which the worker submits a claim for wage reimbursement. The following factors prevented the system from being 100% sensitive in 2011:

- 1) *Incomplete submission of cases by hospitals* – Twenty-three hospitals reported treating no patients with work-related amputations in 2011 and consequently submitted no medical records to MSU. An analysis of

Michigan inpatient and outpatient visits (MIDB-MODB)\* in 2011 identified eight Michigan residents treated at four of these 23 hospitals that had an amputation diagnosis and workers' compensation listed as a source of payment. Three of these six were identified as amputation cases in the workers' compensation database (one of these three was a match to one of the reporting hospitals). Three cases were in the workers' compensation database, but the injury was not coded as an amputation. In other words, had all hospitals reported, another five work-related amputation cases would have been identified by our surveillance system. This represents 1.1% of the total number reported.

Several hospitals submitted medical records only for amputations that they identified as work-related. Because work-relatedness is not always readily apparent (e.g., MSU staff were able to identify some cases only through an interview), it is likely that these hospitals did not submit records for all cases. Statewide emergency department data would provide the best estimate of under-reporting due to incomplete record submission by hospitals. However, this data source does not exist in Michigan. The surveillance system's sensitivity could be improved in future years by requiring hospitals to submit medical records for all amputations rather than asking hospitals to filter out non-work-related cases.

- 2) *Incomplete identification of work-relatedness in medical records* – For 47 cases, work-relatedness could not be determined through patient interviews or because records could not be linked to workers' compensation claims data. Some of these amputations may have been work-related.

---

\* This database is comprised of outpatient procedures and hospitalizations (inpatient stays). Thus, it misses most patients who are treated and released from emergency departments.

There are other work-related amputations that occur in Michigan that the system is not designed to capture, but are worth noting:

- 1) *Treatment at out-of-state hospitals* – Some amputations that occurred at Michigan worksites were likely treated at out-of-state hospitals. These out-of-state hospitals were not required to report the incidents to Michigan agencies. The MIDB-MODB can be used to approximate the number of incidents that were not identified for this reason. While the MIDB and MODB do not specify state of injury occurrence, they do contain information on Michigan residents treated out of state. In 2011, four Michigan residents treated for an amputation for which the primary or secondary payer was workers' compensation were seen at an out-of-state hospital. One of these four individuals was identified by the surveillance system via both a workers' compensation claim and a medical record (the patient must have been medically treated both out of state and in state). Based on this information, it is estimated that in 2011, the surveillance system missed less than 1% of work-related amputations occurring in Michigan due to treatment at out-of-state hospitals.
  
- 2) *Non-hospital medical treatment with no workers' compensation claim submission* – The hospital/ED record component of the surveillance system misses workers who either are not treated medically (an unlikely occurrence) or are treated at non-hospital settings (e.g., company clinics, urgent care centers). The workers' compensation component misses cases in which injured workers do not submit a claim for wage reimbursement for lost work time. The number of such cases is unknown but presumably limited to the less severe cases.

While the surveillance system does not identify all work-related amputations in Michigan, it is much more sensitive than the system conducted by the Bureau of Labor

Statistics (BLS). The BLS reported 220 work-related amputations in Michigan in 2011 – 59% fewer than our system (N=540). There are some definitional differences between the two systems: the BLS measures those who work in Michigan, not Michigan residents, and excludes the self-employed (N=28) and individuals without lost work time. The BLS figure is not a count of all amputations but rather is an estimate based on a sample of employer-reported injuries and thus is dependent upon the sample drawn and the degree to which employers record worker injuries. Finally, some injuries classified as amputations in medical records may have been recorded by employers as something else (e.g., crush, laceration).<sup>†</sup>

**Predictive Value Positive (PVP)** – the proportion of persons identified as cases that actually have the condition being monitored

The PVP of cases identified from hospital medical records is likely high (i.e., greater than 90%). For these to be classified as cases: 1) the incident must have occurred at work; and 2) the injury must have been coded as an amputation. Incidents were coded as work-related if: a) medical records documented that they occurred at work; or b) the expected payer was workers' compensation; or c) the patient reported the incident as work-related during the phone interview. In 41 cases (8.7% of the 471 for which there was a medical record), the injury was described as a laceration, avulsion, or crush, involved tissue only, and either there was no surgery or treatment involved suturing or providing a splint. Although each of these was coded as an amputation, it is unclear why given the injury and surgery descriptions. The PVP of cases identified solely through workers' compensation records may be slightly lower than 90% because information on injury type is provided by employers rather than medical professionals.

---

<sup>†</sup> Prior to 2011, another reason for a discrepancy may have been that the BLS required bone loss to classify an injury as an amputation whereas our system did not. As of 2011, this restriction was removed, making the BLS system potentially more comparable to ours. However, even with this change the BLS estimate of the number of amputations remained appreciably less than our multisource system in 2011 and does not explain the BLS undercount, which is comparable to previous years when BLS only counted amputations that included bone loss (2009 – 65% fewer, 2008 – 59% fewer, 2007 – 77% fewer and 2006 – 20% fewer).

**Representativeness** – the degree to which identified cases accurately describe all cases

The surveillance system appears to be geographically representative. Most hospitals submitted medical records and it appears that few cases were lost due to those hospitals that did not provide records (see sensitivity discussion above). Self-employed workers were more likely than other workers to be under identified because work-relatedness for this group often could not be determined from medical records and they are not covered by workers' compensation. While self-employed workers comprised 5.9% of the 471 Michigan resident work-related amputation cases for which there was a medical record, they comprised 40.4% of the 47 cases for which work-relatedness could not be determined.

**Timeliness** – the delay between any two or more steps in the system

The timeliness of the system has improved substantially. Prior to 2011, hospitals submitted medical records for the twelve-month calendar year. Even submissions from the earliest reporting (i.e., February following the end of the year of interest) hospitals would contain cases more than a year old. In 2011, hospitals began reporting quarterly. Thus, medical records for patients treated in January-March of 2011 were initially received in May 2011 and the last records for 2011 were received in May 2012. In April 2013, patient interviewing was completed (i.e., either patients were successfully contacted and interviewed or it was determined that they could not be interviewed), all medical records were reviewed and data on work-related amputations entered into a database. At this point, data from workers' compensation claims were obtained and record matching was performed. The improved timeliness of the system has allowed more cases to be referred to MIOSHA within six months of the incident.

**Flexibility** – the ability of the system to adapt to changing needs

The system is highly flexible. Data items ascertained from medical records or through follow-up interviews have been added or deleted as their usefulness has become apparent. For example, information on the type of injury sustained, the involvement of bone, and



subsequent surgery was added to the data collected for 2011 and has provided valuable information without having a negative impact on the surveillance system.

**Simplicity** – the ease of operating the system and the complexity of its design

The case definition is easy to apply and usually cases are identified quickly. For 14 of 1,423 (1.0%) of the medical records reviewed case identification was more complex because additional information was sought through an interview. The number of interviews has decreased significantly starting in 2009 (during 2006-2008, there were an average of 165 interviews per year). The Workers' Compensation Agency provides their claims database in a timely manner so that work-relatedness often can quickly be determined by searching for the case in the database. Few of the data items ascertained from medical records or MIOSHA inspection reports are complex (the most time-consuming items are identifying NAICS codes for employers and ascertaining info on injury type, involvement of bone and surgery). There are a small number of individuals involved in maintaining the system. At MSU, one person is responsible for pursuing hospital medical record submission, and there is one person who performs medical record reviews, data abstraction and data entry (although in 2011 there was significant assistance on these three tasks from students and staff), makes MIOSHA referrals, links medical records and workers' compensation claims records, and performs data analysis. All individuals working on the system spend only a portion of their time on this project.

**Acceptability** – the willingness of individuals and organizations to participate

All hospitals responded to MSU's request for medical records on work-related amputations either by submitting records or reporting having no cases. Project staff had a 93% success rate in obtaining information from patients via phone interview. MIOSHA has stated that they value referrals although they would prefer better timeliness. As mentioned above, this is being addressed by the new requirement to have hospitals report quarterly rather than annually. The Workers' Compensation Agency readily provides access to their data.

## Limitations

The surveillance system had several limitations due to the quality and type of information provided in medical records and workers' compensation claims data.

1. Medical records often were non-specific in documenting the causes of amputations. This was especially detrimental when injuries were caused by a "press": either a power press was incorrectly listed as the cause, or a power press was in fact the cause, but not explicitly noted.
2. Medical records sometimes provided insufficient information to identify an industry and assign a NAICS code. Patient interviews were not attempted to ascertain this information alone when it could be determined that the case would not be a MIOSHA referral (e.g., there was minimal finger loss, the case was more than six months old).
3. Medical records usually do not provide visual documentation of injuries (e.g., photograph), so it is difficult to clearly comprehend the injury. It is unclear how coders assign an amputation diagnosis code when, for example, a patient sustains a tissue-only laceration which is subsequently sutured.
4. Hospitals varied substantially in the degree to which they provided information on patient race and Hispanic ethnicity. Overall, there was too much missing information for these important demographics to be analyzed.
5. Workers' compensation claims data did not include information on injury cause and lacked detailed injury information (e.g., single vs. multiple digit loss, which hand/finger was injured). Thus, results on these characteristics could not be fully described.
6. The success of record linkage depended upon the accuracy of the linking variables. If any case listed by workers' compensation as an amputation should have been linked to a medical record but was not, it was counted more than once.

## Conclusions

This surveillance system, which uses hospital reporting and workers' compensation claims data, provides a much higher estimate of the number of work-related amputations than the employer-based reporting system maintained by the Bureau of Labor Statistics, which is the basis for the official count of workplace injuries. In addition, the hospital-based data can be used for public health interventions to identify and mitigate the hazards that cause amputations. Given the success of the surveillance system, we plan to continue tracking amputations and facilitating workplace investigations. We are encouraged that the number and rate of amputations has decreased since 2006. The ultimate objective is to significantly reduce the incidence of this serious injury.

## REFERENCES

1. United States Department of Labor, Bureau of Labor Statistics' Survey of Occupational Injuries and Illnesses. Washington, D.C. <http://data.bls.gov/GQT/servlet/InitialPage>. Accessed September 2013.
2. Council of State and Territorial Epidemiologists. Occupational health indicators: A guide for tracking occupational health conditions and their determinants. Atlanta, GA. August 2006. Last updated March 2013. <http://c.ymcdn.com/sites/www.cste.org/resource/resmgr/OccupationalHealth/OHIGuidanceMarch2013.pdf>. Accessed September 2013.
3. Michigan Department of Consumer and Industry Services, Michigan Occupational Safety and Health Administration. Strategic plan fiscal years 2004-2008. Lansing, MI. [http://www.michigan.gov/documents/Strategic\\_Plan\\_04-08\\_77152\\_7.pdf](http://www.michigan.gov/documents/Strategic_Plan_04-08_77152_7.pdf). Accessed September 2013.
4. Largo T, Rosenman K. Work-related amputations in Michigan, 2006. A joint report by Michigan State University and Michigan Department of Community Health. East Lansing, Michigan. June 2009. <http://www.oem.msu.edu/userfiles/file/Annual%20Reports/Amputations/2006%20MI%20work-related%20amputations.pdf>. Accessed September 2013.
5. Michigan Public Health Code (Article 368, Part 56, P.A. 1978).
6. Commission on Professional and Hospital Activities. International Classification of Diseases, Ninth Revision, Clinical Modification. Ann Arbor, Michigan. 1986.
7. Executive Office of the President, United States Office of Management and Budget. North American Industry Classification System, United States, 2002. Springfield, Virginia. National Technical Information Service. 2002.
8. Michigan Department of Labor and Economic Growth, Michigan Occupational Safety and Health Administration. MIOSHA goals for FY 2009-2013. Lansing, MI. [http://www.michigan.gov/documents/dleg/MIOSHA\\_Goals\\_for\\_FY09-13\\_248575\\_7.pdf](http://www.michigan.gov/documents/dleg/MIOSHA_Goals_for_FY09-13_248575_7.pdf). Accessed September 2013.
9. Centers for Disease Control and Prevention. Updated guidelines for evaluating public health surveillance systems: recommendations from the guidelines working group. *MMWR* 2001;50(No. RR-13):13-24.

## APPENDIX A

### Additional Data Tables

TABLE A-1  
 Number and rate of work-related amputations  
 by age and sex  
 Michigan Residents, 2011

Age Group	Male		Female		Total	
	Number	Rate	Number	Rate	Number	Rate
16-19	24	28.6	7	8.1	31	18.3
20-24	65	33.5	6	2.8	71	17.5
25-34	113	25.1	14	3.6	127	15.2
35-44	94	20.3	7	1.8	101	11.8
45-54	104	19.2	17	3.3	121	11.4
55-64	65	18.5	8	2.5	73	10.9
65+	11	11.0	5	*	16	8.9
<b>Total</b>	<b>476</b>	<b>21.8</b>	<b>64</b>	<b>3.2</b>	<b>540</b>	<b>12.9</b>

\* Statistically stable rate could not be calculated.

Rates are the number of workers sustaining an amputation per 100,000 workers.

Data Sources: Number of amputations – Michigan hospital/ED medical records and Michigan Department of Licensing and Regulatory Affairs Workers' Compensation Agency; Number of workers employed by age group used to calculate rates - Bureau of Labor Statistics' Current Population Survey

TABLE A-2  
 Number of work-related amputations  
 by race and Hispanic ethnicity  
 Michigan residents, 2011

Race	Hispanic Ethnicity			Total
	Yes	No	Unknown	
White	0	0	223	223
Black	0	0	32	32
Other	0	0	7	7
Unknown	32	0	246	278
<b>Total</b>	<b>32</b>	<b>0</b>	<b>508</b>	<b>540</b>

Data Sources: Michigan hospital/ED medical records and Michigan Department of Licensing and Regulatory Affairs Workers' Compensation Agency

TABLE A-3  
 Work-related single-finger amputation incidents (N=388)  
 by injured hand and amount of finger lost  
 Michigan residents, 2011

Hand	Finger	Section Lost				Total
		Distal Phalanx	Middle Phalanx	Proximal Phalanx	Unknown	
Right	Thumb	31		0	0	31
	Index	54	6	2	0	62
	Middle	37	0	0	0	37
	Ring	13	1	0	0	14
	Little	17	5	0	0	22
Left	Thumb	42		1	1	44
	Index	67	8	2	0	77
	Middle	44	3	0	0	47
	Ring	26	2	0	1	29
	Little	23	0	1	0	24
Unknown	Index	1	0	0	0	1
Total		355	25	6	2	388

Data Source: Michigan hospital/ED medical records

TABLE A-4  
 Work-related multiple-finger amputation incidents (N=69)  
 by injured hand and amount of finger lost  
 Michigan residents, 2011

Hand	Finger	Section Lost				Total
		Distal Phalanx	Middle Phalanx	Proximal Phalanx	Unknown	
Right	Thumb	2		2	0	4
	Index	19	2	1	0	22
	Middle	22	3	1	0	26
	Ring	20	2	0	0	22
	Little	7	2	0	0	9
Left	Thumb	3		1	0	4
	Index	10	3	2	0	15
	Middle	19	4	1	0	24
	Ring	17	3	0	0	20
	Little	4	1	0	0	5
Total		123	20	8	0	151

Data Source: Michigan hospital/ED medical records